# Quantum Measurement of a Single System

### Orly Alter

Ph.D. Dissertation in Applied Physics Stanford University

### A groundbreaking look at the nature of quantum mechanics

With new technologies permitting the observation and manipulation of single quantum systems, the quantum theory of measurement is fast becoming a subject of experimental investigation in laboratories worldwide. This original new work addresses open fundamental questions in quantum mechanics in light of these experimental developments.

Using a novel analytical approach developed by the authors, Quantum Measurement of a Single System provides answers to three long-standing questions that have been debated by such thinkers as Bohr, Einstein, Heisenberg, and Schrödinger. It establishes the quantum theoretical limits to information obtained in the measurement of a single system on the quantum wavefunction of the system, the time evolution of the quantum observables associated with the system, and the classical potentials or forces which shape this time evolution. The technological relevance of the theory is also demonstrated through examples from atomic physics, quantum optics, and mesoscopic physics.

Suitable for professionals, students, or readers with a general interest in quantum mechanics, the book features recent formulations as well as humorous illustrations of the basic concepts of quantum measurement. Researchers in physics and engineering will find *Quantum Measurement of a Single System* a timely guide to one of the most stimulating fields of science today.

**ORLY ALTER**, **PhD**, is currently a postdoctoral fellow in the Department of Genetics at Stanford University. **YOSHIHISA YAMAMOTO**, **PhD**, is a professor in the Departments of Applied Physics and Electrical Engineering at Stanford University. He is currently the director of the ICORP Quantum Entanglement Project of the Japanese Science and Technology (JST) Corporation. While they collaborated on the research presented in this book, Yamamoto was the director of the ERATO Quantum Fluctuation Project of JST, and Alter was a doctoral student at the Department of Applied Physics at Stanford. She was selected as a finalist for the American Physical Society Award for Outstanding Doctoral Thesis Research in Atomic, Molecular or Optical Physics for 1998 for this work.


Cover Illustration: David B. Oberman

#### WILEY-INTERSCIENCE

John Wiley & Sons, Inc.
Scientific, Technical, and Medical Division
605 Third Avenue, New York, N.Y. 10158-0012
New York • Chichester • Weinheim
Brisbane • Singapore • Toronto



# Quantum Measurement of a Single System






#### **Motivation (I)**


Technological advances allow control of single quantum systems:


Squeezing of single wavepackets of light Trapping of single atoms, ions or DNA molecules

What is the meaning of the quantum state (or wavefunction)?



Smithey, Beck, Raymer & Faridani, PRL 70, 1244 (1993). Vogel & Risken, PRA 40, 2847 (1989).





Aharonov, Anandan & Vaidman, *PRA* <u>47</u>, 4616 (1993):

It may be possible to determine the unknown quantum wavefunction of a single system, and give the wavefunction a physical meaning, in addition to its statistical meaning.

Imamoglu, *PRA Rapid Communication* <u>47</u>, R4577 (1993); Royer, *PRL* <u>73</u>, 913 (1994) [Erratum in *PRL* <u>74</u>, 1040 (1995)]. Huttner, private communication (1995).

#### **Motivation (II)**

State-of-the-art precision measurements are based on monitoring the time evolution of a single physical system:

> Gravitational wave detection Scanning microscopy (AFMs) Josephson junction circuits (SQUIDs)

What is the fundamental limit to the determination of the time evolution of a single system?

What is the fundamental quantum limit to the detection of a classical signal via the monitoring of a single system?


Hollenhorst, *PRD* <u>19</u>, 1669 (1979);
Braginsky, Vorontsov & Thorne, *Science* <u>209</u>, 541 (1980);
Caves, Thorne, Drever, Sandberg & Zimmermann, *RMP* <u>52</u>, 341 (1980);
Yuen, *PRL* <u>51</u>, 719 (1983):

There may be no such fundamental limit.


"... phenomena and their observation ... designated as complementary ..."

Bohr, *Nature* 121, 580 (1928).

The Projection Postulate



### Generalized Quantum Measurement



The generalized quantum measurement is described by the generalized projection operator


$$\hat{Y}(\hat{q}, \tilde{q}_1) = p \langle \tilde{q}_1 | \hat{U} | \phi \rangle_p$$
.

Unitary signal-probe interaction  $\hat{U} \rightarrow$ 

deterministic change in  $\hat{\rho}_0$ .

Projection in the measurement of the probe  $\hat{Y} \rightarrow$  reduction, i.e., stochastic change in  $\hat{\rho}_0$ .

### **Outline**




### Impossibility of Determining the Quantum Wavefunction of a Single System

Alter & Yamamoto, PRL 74, 4106 (1995); doi: 10.1103/PhysRevLett.74.4106


Model: A series of QND measurements of the photonnumber  $\hat{n}$  is performed on a single wavepacket of light, which is initially in the pure state  $\hat{\rho}_0$ .

Goal: Use the statistics of the measurement results to estimate the initial probability density,  $P_0(n) = \langle n|\hat{\rho}_0|n\rangle$ 

initial expectation value  $\langle n_0 \rangle$  and initial uncertainty  $\langle \Delta n_0^2 \rangle$ .



### A Series of QND Measurements of a Single System




In each measurement, the signal photon-number is estimated from the change in the probe phase, which equals the second quadrature-amplitude of the probe approximately

with the estimation error

$$\langle \Delta \tilde{n}^2 \rangle = \langle \Delta n_0^2 \rangle + \Delta_{\rm m}^2$$

### Saturated Quantum Brownian Motion and Continuous Wavefunction Collapse

Photon-Number



In terms of the changes induced in the wavefunction, a series of imprecise measurements is equivalent to a single precise measurement.

Alter & Yamamoto. In: Greenberger & Zeilinger, eds., Fundamental Problems in Quantum Theory (Annals of the New York Academy of Sciences vol. <u>755</u>, New York Academy of Sciences) pp. 103–109 (1995); doi: 10.1111/j.1749-6632.1995.tb38960.x

Alter & Yamamoto, Fortschritte der Physik 46, 817 (1998);

doi: 10.1002/(SICI)1521-3978(199811)46:6/8<817::AID-PROP817>3.0.CO;2-Y

### Statistics of the Measurement Results



Each measurement result,  $\tilde{n}_1$  or  $\tilde{n}_2$ , estimates the initial expectation value

$$\langle \tilde{n}_1 \rangle = \langle n_0 \rangle$$

$$\langle \tilde{n}_2 \rangle = \langle n_0 \rangle$$

and second moment

$$\langle \tilde{n}_1^2 \rangle = \langle n_0^2 \rangle + \Delta_{\rm m}^2$$

$$\langle \tilde{n}_2^2 \rangle = \langle n_0^2 \rangle + \Delta_{\rm m}^2$$

but not the initial uncertainty

$$\langle \Delta n_0^2 \rangle = \langle n_0^2 \rangle - \langle n_0 \rangle^2$$

If  $\tilde{n}_1$  and  $\tilde{n}_2$  were independent results, obtained from two different quantum systems, then

$$\langle \tilde{n}_1 \, \tilde{n}_2 \rangle = \langle n_0 \rangle^2$$

and the initial uncertainty can be estimated.

In our case  $\tilde{n}_2$  depends on  $\tilde{n}_1$ ,

$$\langle \tilde{n}_1 \, \tilde{n}_2 \rangle = \langle n_0^2 \rangle$$

and the initial uncertainty cannot be estimated.

#### **Conclusions**


Alter & Yamamoto. In: Fujikawa & Ono, eds., Quantum Coherence and Decoherence (Foundations of Quantum Mechanics in the Light of New Technology vol. 5, Elsevier Science) pp. 31–34 (1996).

The unknown wavefunction of a single system cannot be determined from the results of a series of quantum measurements, due to the reduction which is induced by the measurement process.

The quantum wavefunction has only an epistemological meaning:

→ The quantum uncertainty

$$\langle \Delta q_0^2 \rangle = \langle q_0^2 \rangle - \langle q_0 \rangle^2$$
 is not an observable.



→ Information in quantum communication channels cannot be coded on the uncertainties of the quantum

signals.




Indistinguishable

Distinguishable

### Measurements without Entanglement of a Squeezed Wavepacket of Light

Alter & Yamamoto, *PRA Rapid Communications* 53, R2911 (1996); doi: 10.1103/PhysRevA.53.R2911




#### **Conclusions**

Measurements without entanglement avoid the reduction and induce only a deterministic change in the quantum state of the measured system by utilizing some a-priori information about this state.

This is the only additional information, which is present in the statistics of the results of a series of measurements of the single system.

### Adiabatic Position Measurement of a Harmonic Oscillator


Comment by Aharonov & Vaidman, PRA 56, 1055 (1997).




$$\begin{split} \hat{U}(T) \left| 0 \right\rangle_{\rm s} \left| \beta_1 \right\rangle_{\rm p} \\ \approx \left| 0 \right\rangle_{\rm s} \left| \beta_1 \right\rangle_{\rm p} \end{split}$$

### Adiabatic Position Measurement of a Harmonic Oscillator

Reply by Alter & Yamamoto, *PRA* <u>56</u>, 1057 (1997); doi: 10.1103/PhysRevA.56.1057





#### **Conclusions:**

An adiabatic interaction leaves the signal and the probe only approximately disentangled. The signal is not protected from reduction.




### Limit to Monitoring the Time Evolution of a Single System


Alter & Yamamoto, *PRA Rapid Communications* 55, R2499 (1997); doi: 10.1103/PhysRevA.55.R2499

Alter & Yamamoto. In: De Martini, Denardo & Shih, eds., *Quantum Interferometry* (Wiley-VCH) pp. 539–544 (1996).

Model: A series of QND measurements of the photonnumber  $\hat{n}$  of a two-level atom in a singlephoton mode cavity during its time evolution.



Goal: Use the measurement results to estimate the Rabi oscillations of the energy in the cavity.



**Initial State** 

$$|\psi(0)\rangle = \frac{e^{-i\pi/12}}{\sqrt{2}} |e\rangle_{a} |0\rangle_{p}$$


$$\pm \frac{e^{i\pi/12}}{\sqrt{2}} |g\rangle_{a} |1\rangle_{p}$$

$$|\psi(0)\rangle = |e\rangle_{a} |0\rangle_{p}$$


### Quantum Zeno Effect of a Single System

Imprecise Measurements  $\Delta_{\rm m} = 2$ 

(a) Ensemble Averaged Measured Photon-Number




(b) Photon-Number Measured on a Single System




Precise Measurements  $\Delta_{\rm m} = 0.1$ 

(a) Ensemble Averaged Measured Photon-Number



(b) Photon-Number Measured on a Single System




Ensemble Single system

- → unitary time evolution
- → no initial quantum state
- → initial quantum state;
- $\rightarrow$  no time evolution.

### Schrödinger and Heisenberg Pictures

Quantum Zeno effect of a single system – Schrödinger picture: a series of n measurements of the observable  $\hat{q}$  of a single system during its time evolution.





 $P_H(\tilde{q}_1,\ldots,\tilde{q}_n)$ 


$$\begin{split} P_{S}(\tilde{q}_{1},\ldots,\tilde{q}_{n}) &= \\ \operatorname{Tr}_{s}[\hat{Y}_{n}\,\hat{U}_{n}\ldots\hat{Y}_{1}\,\hat{U}_{1}\hat{\rho}_{0}\,\hat{U}_{1}^{+}\hat{Y}_{1}^{+}\ldots\hat{U}_{n}^{+}\,\hat{Y}_{n}^{+}] &= \\ \operatorname{Tr}_{s}[\hat{Y}(\hat{q}_{n},\tilde{q}_{n})\ldots\hat{Y}(\hat{q}_{1},\tilde{q}_{1})\,\hat{\rho}_{0}\,\hat{Y}^{+}(\hat{q}_{1},\tilde{q}_{1})\ldots\hat{Y}^{+}(\hat{q}_{n},\tilde{q}_{n})] &= \end{split}$$

Impossibility of determining the quantum wavefunction of a single system – Heisenberg picture: a series of *n* measurements of time-varying observables of a single system, with no time evolution between successive measurements.

#### **Conclusions**

The quantum Zeno effect of a single system and the impossibility of determining the wavefunction of a single system are equivalent.

In the Heisenberg picture, the series of measurement results cannot determine the initial quantum state of the system, and in the Schrödinger picture, these results cannot determine the unitary time evolution of the single system.



The quantum Zeno effect is more than a dephasing effect: It is a quantum measurement effect.

The monitoring of the time evolution of a single system is limited by the impossibility of determining the quantum state of this system.


### Limit to Precision Measurements with a Single Quantum System

Alter & Yamamoto, *PLA* <u>263</u>, 226 (1999); doi: 10.1016/S0375-9601(99)00743-4

Model: Measurements of a quantum harmonic oscillator (free mass) driven by a classical force:

Gravitational wave detection Scanning microscopy (AFMs) Josephson junction circuits (SQUIDs)

Goal: Use the measurement results to estimate the magnitude and phase of the force.



### Monitoring the Momentum of a Driven Free Mass

$$\hat{p}(t) - \hat{p}(0) = \int_0^t dt' F(t')$$

Common assumption of independent errors in the estimates of  $\hat{p}(0)$  and  $\hat{p}(t)$ :

$$\langle \Delta \hat{p}^2(t) \rangle + \Delta_{\rm m}^2 = \langle \Delta \hat{p}^2(0) \rangle + \Delta_{\rm m}^2$$

- $\rightarrow$  Force detection is best when  $\langle \Delta \hat{p}^2(0) \rangle = 0$ ;
- → Interest in initial quantum state preparation.

However, force detection is limited by the error in the estimate of  $\hat{p}(t) - \hat{p}(0)$  that is independent of  $\langle \Delta \hat{p}^2(0) \rangle$ :

$$\begin{split} \left\langle \Delta [\hat{p}(t) - \hat{p}(0)]^{2} \right\rangle &= \\ &= \left\langle \Delta \hat{p}^{2}(t) \right\rangle + \left\langle \Delta \hat{p}^{2}(0) \right\rangle - \left\langle \left\{ \Delta \hat{p}(t), \Delta \hat{p}(0) \right\} \right\rangle \\ &= \left\langle \Delta \hat{p}^{2}(t) \right\rangle - \left\langle \Delta \hat{p}^{2}(0) \right\rangle = 0 \end{split}$$

This is because of the correlation between  $\hat{p}(0)$  and  $\hat{p}(t)$ , which is ignored by the common assumption.

→ Force detection is independent of the initial quantum state of the driven mass (or oscillator).

This agrees with the impossibility of estimating  $\langle \Delta \hat{p}^2(0) \rangle$  of a single mass in an unknown state.


### **Standard Quantum Limit** in Position Monitoring?

$$\hat{x}(t) - \hat{x}(0) = \hat{p}(0) t/m + \int_0^t dt' \int_0^{t'} dt'' F(t'')/m$$

Braginsky, *JETP* <u>26</u>, 831 (1968); Caves, Thorne, Drever, Sandberg & Zimmermann, *RMP* <u>52</u>, 341 (1980); Yuen, *PRL* <u>51</u>, 719 (1983).

Contractive state measurements overcome the standard quantum limit when the state of the mass is reset to a known contractive state with negative  $\hat{x}(0)$  and  $\hat{p}(0)$  correlation after each position measurement:

$$\begin{split} \left\langle \Delta \hat{x}^2(t) \right\rangle &= \left\langle \Delta \hat{x}^2(0) \right\rangle + \left\langle \Delta \hat{p}^2(0) \right\rangle t^2 / m^2 \\ &+ \left\langle \left\{ \Delta \hat{x}(0), \Delta \hat{p}(0) \right\} \right\rangle t / m \implies 0 \end{split}$$



(b) 
$$\langle \Delta \hat{p}^2(t) \rangle = \langle \Delta \hat{p}^2(0) \rangle$$

### Standard Quantum Limit in Position Monitoring!

Alter & Yamamoto, *PLA* <u>263</u>, 226 (1999); doi: 10.1016/S0375-9601(99)00743-4

Alter & Yamamoto. In: Namiki, Ohba, Maeda & Aizawa, eds., Quantum Physics, Chaos Theory and Cosmology (American Institute of Physics) pp. 151–172 (1996).

$$\hat{x}(t) - \hat{x}(0) = \hat{p}(0) t/m + \int_0^t dt' \int_0^{t'} dt'' F(t'')/m$$

However, force detection is limited by the error in the estimate of the displacement that depends on  $\langle \Delta \hat{p}^2(0) \rangle$ 

$$\begin{split} \langle \Delta[\hat{x}(t) - \hat{x}(0)]^2 \rangle &= \\ &= \langle \Delta \hat{x}^2(t) \rangle - \langle \Delta \hat{x}^2(0) \rangle - \langle \{\Delta \hat{x}(0), \Delta \hat{p}(0)\} \rangle t/m \\ &= \langle \Delta \hat{p}^2(0) \rangle t^2/m^2 \quad \Rightarrow \quad \infty \end{split}$$

This is because of the correlation between  $\hat{x}(0)$  and  $\hat{x}(t)$  that was neglected in all previous analyses.

- → In exact position monitoring of a driven mass (or oscillator), all information about the driving force is lost.
- → From the trade-off between  $\langle \Delta \hat{p}^2(0) \rangle$  and  $\Delta_{\rm m}^2$  force detection is limited by  $\langle \Delta [\hat{x}(t) \hat{x}(0)]^2 \rangle + \Delta_{\rm m}^2 \ge ht/m$  and that is, in fact, the standard quantum limit.

Caves & Milburn, *PRA* <u>36</u>, 5543 (1987); Mabuchi, *PRA* <u>58</u>, 123 (1998).

This agrees with the impossibility of determining both unknown  $\hat{x}(0)$  and  $\hat{p}(0)$  of a single mass (or oscillator).

### Uncertainty Principle and Completeness of Quantum Theory

Alter & Yamamoto, Quantum Measurement of a Single System (Wiley-Interscience) 136 pp. (2001); doi: 10.1002/9783527617128

$$\langle \Delta \hat{x}^2(t) \rangle \langle \Delta \hat{p}^2(t) \rangle \ge \hbar^2/4$$

What are the limits to the information that can be obtained in the quantum measurement of a single system?

$$\hat{x}(t) - \hat{x}(0) = \hat{p}(0) t/m$$

Heisenberg, *Physical Principles of the Quantum Theory* (1930); Schrödinger, *Interpretation of Quantum Mechanics* (1955); Einstein, Tolman & Podolsky, *PR* <u>37</u>, 780 (1931).

Applying the previous analysis to this historic debate, calculating the estimate errors taking into account the correlations between  $\hat{x}(0)$ ,  $\hat{x}(t)$  and  $\hat{p}(0)$ ,  $\hat{p}(t)$  gives:

$$\Delta[\hat{x}(t) - \hat{x}(0)]^2\rangle = \langle \Delta \hat{p}^2(0) \rangle t^2/m^2$$

$$\langle \Delta[\hat{x}(t) - \hat{p}(0) t/m]^2 \rangle = \langle \Delta \hat{x}^2(0) \rangle$$

- → The determination of both position and momentum of a single quantum system at any given time is always limited by the uncertainty principle, even when this time belongs to the past.
- → To this end, quantum mechanics is complete.

## Monitoring the Slowly-Varying Quadrature Amplitudes of a Driven Harmonic Oscillator

$$\hat{a}_{1}(t) - \hat{a}_{1}(0) = \delta_{1}(t) = \int_{0}^{t} dt' \sin(\omega t') f(t')$$

$$\hat{a}_{2}(t) - \hat{a}_{2}(0) = \delta_{2}(t) = \int_{0}^{t} dt' \cos(\omega t') f(t')$$

Force detection is limited only by the uncertainties in the initial and final simultaneous measurements of the two conjugate quadrature amplitudes:

$$\begin{split} \left\langle \Delta \hat{a}_{1}^{2} \right\rangle \left\langle \Delta \hat{a}_{2}^{2} \right\rangle & \geq 1/16 \\ 2\hbar\omega \left( \left\langle \Delta \hat{a}_{1}^{2} \right\rangle + \left\langle \Delta \hat{a}_{2}^{2} \right\rangle \right) & \geq \hbar\omega \end{split}$$

→ This limit requires an exchange of at least one quantum of energy between the force and the oscillator per sampling time interval.

### Monitoring the Number of Quanta of Energy

$$\hat{n}(t) - \hat{n}(0) = |\delta(t)|^2 + 2[\delta_1(t)\hat{a}_1(0) + \delta_2(t)\hat{a}_2(0)]$$

Hollenhorst, *PRD* 19, 1669 (1979);

Braginsky, Vorontsov & Thorne, *Science* 209, 547 (1980); Caves, Thorne, Drever, Sandberg & Zimmermann, *RMP* 52, 341 (1980):

When the oscillator is initially in a number eigenstate  $|k\rangle$ , the sensitivity of force detection increases with k.

However, regardless of the initial oscillator state, the uncertainty in the number change and the average number change satisfy

$$\langle \Delta[\hat{n}(t) - \hat{n}(0)]^2 \rangle \ge \langle \hat{n}(t) - \hat{n}(0) \rangle = |\delta(t)|^2$$

where the minimum uncertainty is achieved when the oscillator is initially in the vacuum state  $|0\rangle$ .

→ This limit requires an exchange of at least one quantum of energy between the force and the oscillator per sampling time interval.

The minimum uncertainty in the number change is due to arbitrary phase between the force and the oscillator, which is also at the root of the quantum Zeno effect of a single oscillator.

#### **Conclusions**

There is a fundamental quantum limit to external force detection with a single harmonic oscillator.


This limit is equivalent to the impossibility of determining the quantum state of a single system, and to the quantum Zeno effect of a single system.

This limit requires an exchange of at least one quantum of energy between the external force and the harmonic oscillator per sampling time interval (and vanishes for the free mass).

Force detection beyond this limit is impossible, no matter what quantum state the oscillator is prepared in, what observables of the oscillator are being monitored or what measurement schemes are being employed.

This limit can be achieved via simultaneous monitoring of the time evolution of the two slowly-varying quadrature amplitudes, where the quantum uncertainties associated with the initial oscillator state do not limit the detection of both magnitude and phase.

Determination of the magnitude at this limit can be achieved via monitoring the number of quanta of energy of the oscillator, using either QND or destructive number measurements, where the oscillator state is reset to the vacuum state after each measurement.



### Thanks!

**Advisor:** 

Yoshihisa Yamamoto

Illustrations:

David B. Oberman

**Teachers & Mentors:** 

Yakir Aharonov

Michael V. Berry

**Steven Chu** 

Stephen E. Harris

Renata Kallosh

**Andrei Linde** 

Support:

ERATO Quantum Fluctuation Project & ICORP Quantum Entanglement Project of the Japanese Science and Technology (JST) Corporation

Thank you!